

# Econ 301: Microeconomic Analysis

Prof. Jeffrey Naecker

Wesleyan University

# Technology

# Context

- ▶ We have so far assumed supply function is given
- ▶ To determine supply function, we need to talk about production technology
  - ▶ Current technology defines what inputs are required to produce a given input
  - ▶ Or conversely, how much output is feasible from given inputs
- ▶ Producer theory has many analogies to consumer theory
  - ▶ Inputs are like consumption bundles
  - ▶ Output is like utility, though we can't rescale outputs as we could with utility

# Inputs and Outputs

- ▶ We call the good being produced the *output*
- ▶ *Inputs* or *factors* are the goods that go into the production process
  - ▶ Examples?

# Inputs and Outputs

- ▶ We call the good being produced the *output*
- ▶ *Inputs* or *factors* are the goods that go into the production process
  - ▶ Examples? land, materials, labor, machines

# Inputs and Outputs

- ▶ We call the good being produced the *output*
- ▶ *Inputs* or *factors* are the goods that go into the production process
  - ▶ Examples? land, materials, labor, machines
- ▶ One special kind of input is *capital*: inputs that are themselves outputs from another production process
  - ▶ Examples?

# Inputs and Outputs

- ▶ We call the good being produced the *output*
- ▶ *Inputs* or *factors* are the goods that go into the production process
  - ▶ Examples? land, materials, labor, machines
- ▶ One special kind of input is *capital*: inputs that are themselves outputs from another production process
  - ▶ Examples? machines, computers, vehicles

# Inputs and Outputs

- ▶ We call the good being produced the *output*
- ▶ *Inputs* or *factors* are the goods that go into the production process
  - ▶ Examples? land, materials, labor, machines
- ▶ One special kind of input is *capital*: inputs that are themselves outputs from another production process
  - ▶ Examples? machines, computers, vehicles
- ▶ Usually measure inputs and outputs as flows, eg widgets per month

# Technology Constraints

- ▶ Technological constraints tell us which combination of inputs and outputs are possible
- ▶ How do we represent these constraints?


# Technology Constraints

- ▶ Technological constraints tell us which combination of inputs and outputs are possible
- ▶ How do we represent these constraints?
- ▶ One option: list all the pairs  $(x, y)$  that are in the *production set*
  - ▶  $x$  is the input and  $y$  is the output
  - ▶ We can draw the set of such pairs

# Technology Constraints

- ▶ Technological constraints tell us which combination of inputs are outputs are possible
- ▶ How do we represent these constraints?
- ▶ One option: list all the pairs  $(x, y)$  that are in the *production set*
  - ▶  $x$  is the input and  $y$  is the output
  - ▶ We can draw the set of such pairs
- ▶ Another option: write out the *production function*
  - ▶ Really care only about maximum possible output for given input
  - ▶ This is the upper boundary of the production set
  - ▶ This defines *production function*  $y = f(x)$  where  $x$  is input and  $y$  is output

# Production Set and Production Function



# Isoquants

- ▶ More generally, production function may take more than one input, eg  $y = f(x_1, x_2)$ 
  - ▶ Examples?

# Isoquants

- ▶ More generally, production function may take more than one input, eg  $y = f(x_1, x_2)$ 
  - ▶ Examples? Worker and shovels to dig ditches; steel and robots to make cars

# Isoquants

- ▶ More generally, production function may take more than one input, eg  $y = f(x_1, x_2)$ 
  - ▶ Examples? Worker and shovels to dig ditches; steel and robots to make cars
- ▶ An *isoquant* is the set of all combinations of inputs that produce a given level of output
- ▶ That is,  $\{x_1, x_2 | f(x_1, x_2) = \bar{y}\}$

# Isoquants

- ▶ More generally, production function may take more than one input, eg  $y = f(x_1, x_2)$ 
  - ▶ Examples? Worker and shovels to dig ditches; steel and robots to make cars
- ▶ An *isoquant* is the set of all combinations of inputs that produce a given level of output
- ▶ That is,  $\{x_1, x_2 | f(x_1, x_2) = \bar{y}\}$
- ▶ Analogous to indifference curves
  - ▶ Can't rescale isoquants like we did with indifference curves, however

# Examples of Production Functions

- ▶ Fixed proportions
  - ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
  - ▶ Example?

# Examples of Production Functions

- ▶ Fixed proportions
  - ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
  - ▶ Example? Digging a ditch with workers and shovels

# Examples of Production Functions

- ▶ Fixed proportions
  - ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
  - ▶ Example? Digging a ditch with workers and shovels
  - ▶ Isoquants look like?

# Examples of Production Functions

- ▶ Fixed proportions
  - ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
  - ▶ Example? Digging a ditch with workers and shovels
  - ▶ Isoquants look like? Right angles

# Examples of Production Functions

- ▶ Fixed proportions
  - ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
  - ▶ Example? Digging a ditch with workers and shovels
  - ▶ Isoquants look like? Right angles
- ▶ Perfect substitutes
  - ▶ Production function:  $f(x_1, x_2) = x_1 + x_2$
  - ▶ Example?

# Examples of Production Functions

- ▶ Fixed proportions

- ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
- ▶ Example? Digging a ditch with workers and shovels
- ▶ Isoquants look like? Right angles

- ▶ Perfect substitutes

- ▶ Production function:  $f(x_1, x_2) = x_1 + x_2$
- ▶ Example? Producing your homework with either red pen or blue pen

# Examples of Production Functions

- ▶ Fixed proportions

- ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
- ▶ Example? Digging a ditch with workers and shovels
- ▶ Isoquants look like? Right angles

- ▶ Perfect substitutes

- ▶ Production function:  $f(x_1, x_2) = x_1 + x_2$
- ▶ Example? Producing your homework with either red pen or blue pen
- ▶ Isoquants look like?

# Examples of Production Functions

- ▶ Fixed proportions

- ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
- ▶ Example? Digging a ditch with workers and shovels
- ▶ Isoquants look like? Right angles

- ▶ Perfect substitutes

- ▶ Production function:  $f(x_1, x_2) = x_1 + x_2$
- ▶ Example? Producing your homework with either red pen or blue pen
- ▶ Isoquants look like? Straight lines

# Examples of Production Functions

- ▶ Fixed proportions

- ▶ Production function:  $f(x_1, x_2) = \min\{x_1, x_2\}$
- ▶ Example? Digging a ditch with workers and shovels
- ▶ Isoquants look like? Right angles

- ▶ Perfect substitutes

- ▶ Production function:  $f(x_1, x_2) = x_1 + x_2$
- ▶ Example? Producing your homework with either red pen or blue pen
- ▶ Isoquants look like? Straight lines

- ▶ Cobb-Douglas

- ▶ Production function:  $f(x_1, x_2) = Ax_1^a x_2^b$  where  $A, a, b > 0$
- ▶  $A$  measures how many units of output we get for one unit each of inputs
- ▶ Can't rescale exponents as in utility case

# Properties of Production

## Definition

A production technology is *monotonic* if  $x_1 \geq z_1$  and  $x_2 \geq z_2$  implies  $f(x_1, x_2) \geq f(z_1, z_2)$ . That is, output should increase if any inputs increase (and none decrease).

# Properties of Production

## Definition

A production technology is *monotonic* if  $x_1 \geq z_1$  and  $x_2 \geq z_2$  implies  $f(x_1, x_2) \geq f(z_1, z_2)$ . That is, output should increase if any inputs increase (and none decrease).

## Definition

Suppose  $f(x_1, x_2) = f(z_1, z_2) = \bar{y}$ . Then a production technology satisfies *convexity* if  $f(\alpha x_1 + (1 - \alpha)z_1, \alpha x_2 + (1 - \alpha)z_2) \geq \bar{y}$ . That is, a combination of two sets of inputs increases output.

# Marginal Product

- ▶ How much more output do we get from adding more of input  $i$ ?
- ▶ We define the *marginal product* of input  $i$  as  $MP_i = \frac{\partial f}{\partial x_i}$
- ▶ Note that all other inputs stay constant
- ▶ Analogous to marginal utility

# Marginal Product

- ▶ How much more output do we get from adding more of input  $i$ ?
- ▶ We define the *marginal product* of input  $i$  as  $MP_i = \frac{\partial f}{\partial x_i}$
- ▶ Note that all other inputs stay constant
- ▶ Analogous to marginal utility
- ▶ How does  $MP_i$  change as  $x_i$  increases?

# Marginal Product

- ▶ How much more output do we get from adding more of input  $i$ ?
- ▶ We define the *marginal product* of input  $i$  as  $MP_i = \frac{\partial f}{\partial x_i}$
- ▶ Note that all other inputs stay constant
- ▶ Analogous to marginal utility
- ▶ How does  $MP_i$  change as  $x_i$  increases?
  - ▶ We know  $MP_i > 0$  for all  $x_i$  because of monotonicity
  - ▶ We typically assume that production increases at a decreasing rate
  - ▶ This is known as *diminishing marginal product*
  - ▶ Formally, we have  $\frac{\partial^2 f}{\partial x_i^2} < 0$
  - ▶ Analogy: diminishing marginal utility

# Technical Rate of Substitution

- ▶ Suppose we change the amount of input 1
- ▶ How much do we have to change the amount of input 2 to get the same level of output?

# Technical Rate of Substitution

- ▶ Suppose we change the amount of input 1
- ▶ How much do we have to change the amount of input 2 to get the same level of output?
  - ▶ The slope of the isoquant curve tells us this
  - ▶ We call this the *technical rate of substitution*
  - ▶  $TRS(x_1, x_2) = -\frac{MP_1}{MP_2}$
  - ▶ Analogy: marginal rate of substitution

# Technical Rate of Substitution

- ▶ Suppose we change the amount of input 1
- ▶ How much do we have to change the amount of input 2 to get the same level of output?
  - ▶ The slope of the isoquant curve tells us this
  - ▶ We call this the *technical rate of substitution*
  - ▶  $TRS(x_1, x_2) = -\frac{MP_1}{MP_2}$
  - ▶ Analogy: marginal rate of substitution
- ▶ We typically assume that we have *diminishing TRS*
  - ▶ As we increase amount of factor 1, need less of a change in factor 2 to stay on isoquant
  - ▶ Analogy: diminishing marginal rate of substitution

# Deriving the TRS Formula

- ▶ Why is  $TRS(x_1, x_2) = -\frac{MP_1}{MP_2}$  the formula for TRS?

# Deriving the TRS Formula

- ▶ Why is  $TRS(x_1, x_2) = -\frac{MP_1}{MP_2}$  the formula for TRS?
  - ▶ Start with  $y = f(x_1, x_2)$

# Deriving the TRS Formula

- ▶ Why is  $TRS(x_1, x_2) = -\frac{MP_1}{MP_2}$  the formula for TRS?
  - ▶ Start with  $y = f(x_1, x_2)$
  - ▶ Take differential:  $dy = \frac{\partial f}{\partial x_1} dx_1 + \frac{\partial f}{\partial x_2} dx_2$

# Deriving the TRS Formula

- ▶ Why is  $TRS(x_1, x_2) = -\frac{MP_1}{MP_2}$  the formula for TRS?
  - ▶ Start with  $y = f(x_1, x_2)$
  - ▶ Take differential:  $dy = \frac{\partial f}{\partial x_1} dx_1 + \frac{\partial f}{\partial x_2} dx_2$
  - ▶ Set equal to zero and solve for total derivative:

# Deriving the TRS Formula

- ▶ Why is  $TRS(x_1, x_2) = -\frac{MP_1}{MP_2}$  the formula for TRS?
  - ▶ Start with  $y = f(x_1, x_2)$
  - ▶ Take differential:  $dy = \frac{\partial f}{\partial x_1} dx_1 + \frac{\partial f}{\partial x_2} dx_2$
  - ▶ Set equal to zero and solve for total derivative:

$$\frac{\partial f}{\partial x_1} dx_1 + \frac{\partial f}{\partial x_2} dx_2 = 0$$

$$\frac{\partial f}{\partial x_2} dx_2 = -\frac{\partial f}{\partial x_1} dx_1$$

$$\frac{dx_2}{dx_1} = -\frac{\frac{\partial f}{\partial x_1}}{\frac{\partial f}{\partial x_2}} = -\frac{MP_1}{MP_2}$$

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount
- ▶ Assuming  $k > 1$ :
  1. Constant returns to scale:  $f(kx_1, kx_2) = kf(x_1, x_2)$ 
    - ▶ Example?

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount
- ▶ Assuming  $k > 1$ :
  1. Constant returns to scale:  $f(kx_1, kx_2) = kf(x_1, x_2)$ 
    - ▶ Example? Build an identical plant, get exactly twice as much output

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount
- ▶ Assuming  $k > 1$ :
  1. Constant returns to scale:  $f(kx_1, kx_2) = kf(x_1, x_2)$ 
    - ▶ Example? Build an identical plant, get exactly twice as much output
  2. Increasing returns to scale:  $f(kx_1, kx_2) > kf(x_1, x_2)$ 
    - ▶ Example?

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount
- ▶ Assuming  $k > 1$ :
  1. Constant returns to scale:  $f(kx_1, kx_2) = kf(x_1, x_2)$ 
    - ▶ Example? Build an identical plant, get exactly twice as much output
  2. Increasing returns to scale:  $f(kx_1, kx_2) > kf(x_1, x_2)$ 
    - ▶ Example? Double the diameter of a pipeline, get four times as much output

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount
- ▶ Assuming  $k > 1$ :
  1. Constant returns to scale:  $f(kx_1, kx_2) = kf(x_1, x_2)$ 
    - ▶ Example? Build an identical plant, get exactly twice as much output
  2. Increasing returns to scale:  $f(kx_1, kx_2) > kf(x_1, x_2)$ 
    - ▶ Example? Double the diameter of a pipeline, get four times as much output
  3. Decreasing returns to scale:  $f(kx_1, kx_2) < kf(x_1, x_2)$ 
    - ▶ Example?

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount
- ▶ Assuming  $k > 1$ :
  1. Constant returns to scale:  $f(kx_1, kx_2) = kf(x_1, x_2)$ 
    - ▶ Example? Build an identical plant, get exactly twice as much output
  2. Increasing returns to scale:  $f(kx_1, kx_2) > kf(x_1, x_2)$ 
    - ▶ Example? Double the diameter of a pipeline, get four times as much output
  3. Decreasing returns to scale:  $f(kx_1, kx_2) < kf(x_1, x_2)$ 
    - ▶ Example? Double size of plant, get less than twice the output, perhaps because of communication complexity

# Returns to Scale

- ▶ What happens when we double inputs? Does output double as well?
- ▶ *Returns to scale* indicate what happens when we increase all inputs by same amount
- ▶ Assuming  $k > 1$ :
  1. Constant returns to scale:  $f(kx_1, kx_2) = kf(x_1, x_2)$ 
    - ▶ Example? Build an identical plant, get exactly twice as much output
  2. Increasing returns to scale:  $f(kx_1, kx_2) > kf(x_1, x_2)$ 
    - ▶ Example? Double the diameter of a pipeline, get four times as much output
  3. Decreasing returns to scale:  $f(kx_1, kx_2) < kf(x_1, x_2)$ 
    - ▶ Example? Double size of plant, get less than twice the output, perhaps because of communication complexity
- ▶ Returns to scale of a given production function can be different at different production levels

# Example: Cobb-Douglas

- ▶ Let  $f(x_1, x_2) = Ax_1^a x_2^b$
- ▶ Does this demonstrate increasing or decreasing returns to scale?

# Example: Cobb-Douglas

- ▶ Let  $f(x_1, x_2) = Ax_1^a x_2^b$
- ▶ Does this demonstrate increasing or decreasing returns to scale?
  - ▶ Note that  $f(kx_1, kx_2) = A(kx_1)^a (kx_2)^b = k^{a+b} Ax_1^a x_2^b = k^{a+b} f(x_1, x_2)$
  - ▶ Thus returns to scale are ...
    - ▶ increasing if  $a + b > 1$
    - ▶ decreasing if  $a + b < 1$
    - ▶ constant if  $a + b = 1$

# Long and Short Run

- ▶ In the *short run*, some inputs may be fixed at a certain level
- ▶ In the *long run*, all factors can be adjusted
- ▶ The length of these runs depends on context
- ▶ Example: farmer with fully-planted fields
  - ▶ Short run: land is fixed input
  - ▶ Long run: land can be bought and sold to re-optimize producer behavior

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?
  - ▶  $MP_L = \frac{\partial f}{\partial L} = \frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}$

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?
  - ▶  $MP_L = \frac{\partial f}{\partial L} = \frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}$
- ▶ What is the TRS of labor for capital?

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?
  - ▶  $MP_L = \frac{\partial f}{\partial L} = \frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}$
- ▶ What is the TRS of labor for capital?
  - ▶  $TRS = -\frac{MP_L}{MP_K} = -\frac{\frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}}{\frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}} = -\frac{K}{L}$

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?
  - ▶  $MP_L = \frac{\partial f}{\partial L} = \frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}$
- ▶ What is the TRS of labor for capital?
  - ▶  $TRS = -\frac{MP_L}{MP_K} = -\frac{\frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}}{\frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}} = -\frac{K}{L}$
- ▶ What is the return to scale?

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?
  - ▶  $MP_L = \frac{\partial f}{\partial L} = \frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}$
- ▶ What is the TRS of labor for capital?
  - ▶  $TRS = -\frac{MP_L}{MP_K} = -\frac{\frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}}{\frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}} = -\frac{K}{L}$
- ▶ What is the return to scale?
  - ▶ From earlier, since  $a + b = \frac{1}{4} + \frac{1}{4} < 1$ , decreasing returns to scale

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?
  - ▶  $MP_L = \frac{\partial f}{\partial L} = \frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}$
- ▶ What is the TRS of labor for capital?
  - ▶  $TRS = -\frac{MP_L}{MP_K} = -\frac{\frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}}{\frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}} = -\frac{K}{L}$
- ▶ What is the return to scale?
  - ▶ From earlier, since  $a + b = \frac{1}{4} + \frac{1}{4} < 1$ , decreasing returns to scale
- ▶ Which is the fixed factor in the short run?

## Example: Capital and Labor

- ▶ Suppose that the production function is  $f(K, L) = K^{\frac{1}{4}}L^{\frac{1}{4}}$  where  $K$  is capital,  $L$  is labor
- ▶ What is the marginal product of capital?
  - ▶  $MP_K = \frac{\partial f}{\partial K} = \frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}$
- ▶ What is the marginal product of labor?
  - ▶  $MP_L = \frac{\partial f}{\partial L} = \frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}$
- ▶ What is the TRS of labor for capital?
  - ▶  $TRS = -\frac{MP_L}{MP_K} = -\frac{\frac{1}{4}K^{\frac{1}{4}}L^{-\frac{3}{4}}}{\frac{1}{4}K^{-\frac{3}{4}}L^{\frac{1}{4}}} = -\frac{K}{L}$
- ▶ What is the return to scale?
  - ▶ From earlier, since  $a + b = \frac{1}{4} + \frac{1}{4} < 1$ , decreasing returns to scale
- ▶ Which is the fixed factor in the short run? Typically capital